# eSight TeleHealth See New Possibilities

Change the lives of your low vision patients with the leading wearable device





# What is eSight?

eSight is the most versatile and advanced wearable device for people with visual impairment.<sup>1</sup> It enables people with low vision or legal blindness to achieve up to 20/20 visual acuity.<sup>1</sup> By stimulating the synaptic nerve activity to increase visual information to the brain, eSight delivers life-changing results for thousands of people with macular degeneration, diabetic retinopathy, Stargardt disease and more.<sup>1</sup>

The typical eSight user has visual acuity from 20/60 to 20/800, due one of 20 different eye conditions, including **macular degeneration**, diabetic retinopathy, and Stargardt disease.



### What is eSight TeleHealth?

eSight TeleHealth is a remote learning and training program that will allow your patients to experience the eSight wearable device.

After your referral, they will be prompted to fill out a brief form. eSight will contact your patients to discuss how the device may help them and assess their eligibility. If they are eligible, they can try eSight free of charge, in the comfortability of their own home. Next steps include:

- Booking them an appointment for a TeleHealth evaluation session in their home with an eSight clinical specialist.
- Shipping an eSight 4 device directly to patients for their eSight TeleHealth session.
- After personalized coaching and training, patients will have three days to test out this device and experience the positive impacts and improvements in quality of life it provides.
- At the end of the trial, eSight will contact your patients for their feedback and experience. There is no obligation of purchase.

If you are interested referring eligible patients or providing them with a new treatment option, we can provide additional information and answer any questions.

#### eSight and eSight TeleHealth See New Possibilities

eSight is a clinically proven device that improves distance acuity, contrast sensitivity, critical print size, reading acuity, and facial recognition immediately upon fitting.<sup>1,2</sup> With eSight TeleHealth training programs, eSight is efficient, reduces travel time, and offers a seamless, patient-centered experience from referral to usage.<sup>3</sup>

Telehealth for the visually impaired is more relevant now than ever. eSight TeleHealth takes care of the administrative logistics of providing a new individualized and evidence-based treatment options for your patients, so that you can focus on providing the best care. Experience the ease and efficient treatment capabilities of eSight TeleHealth.



## **The Impact of Vision Loss Beyond Sight**

Reduced vision is associated with significantly negative impacts, such as reduced cognitive function.<sup>4</sup> Visual impairment is also associated with unintentional injuries, loneliness and reduced quality of life, and poses a greater risk for developing mood disorders such as depression.5-8

Vision problems are currently categorized as a physical illness and resulting effects on mental health are often overlooked.<sup>9</sup> In one study, up to 45.2% of adults with severe visual impairment reported moderate-to-severe depressive symptoms.<sup>9</sup>

Innovative treatment options that restore vision may have positive wide-ranging impacts to the individual's psychological well-being.<sup>9</sup>



#### **Clinically Validated Results** (eQUEST, ClinicalTrials.gov Identifier NCT02616900)

Independent studies of use of eSight by six renowned low vision institutions demonstrated<sup>1</sup>:





ability when using eSight. This device has a substantial impact on the lives of many people with severe vision loss."

- Dr. Gislin Dagnelie, MS, John Hopkins Medicine Health Network

#### eSight offers you partnerships to provide patients with the best care

To learn more about eSight and eSight TeleHealth, call 1.855.465.4615 or email partner@esightvision.com

www.esightvision.com

#### References

1. Wittich, W., et al. (2018). The Effect of a Head-mounted Low Vision Device on Visual Function. Optometry and Vision Science: Official Publication of the American Academy of Optometry, 95(9), 774– 784. https://doi.org/10.1097/OPX.000000000001262 2. Lorenzini, M.-C., & Wittich, W. (2021). Head-mounted Visual Assistive Technology-related Quality of Life Changes after Telerehabilitation. Optometry and Vision Science: Official Publication of the American Academy of Optometry, 98(6), 582–591. https://doi.org/10.1097/OPX.0000000000005 3. Lorenzini, M.-C., & Wittich, W. (2021).
Personalized Telerehabilitation for a Head-mounted Low Vision Aid: A Randomized Feasibility Study. Optometry and Vision Science: Official Publication of the American Academy of Optometry, 98(6), 570–581. https://doi.org/10.1097/OPX.000000000000001704 4. Zheng, D. D., et al. (2018). Longitudinal Associations Between Visual Impairment and Cognitive Functioning: The Salisbury Eye Evaluation Study. JAMA Ophthalmology, 136(9), 989–995. https://doi.org/10.1091/Jamaophthalmol.2018.2493 5. KHORRAMI-NEJAD, M., et al. (2016). The Impact of Visual Impairment on Quality of Life. Medical Hypothesis, Discovery and Innovation in Ophthalmology, 5(3), 96–103. 6. Dhital, A., et al. (2010). Visual loss and falls: A review. Eye (London, England), 24(9), 1437–1446. https://doi.org/10.1038/eye.2010.60 7. Brunes, A., et al. (2019). Loneliness among adults with visual impairment: Prevalence, associated factors, and relationship to life satisfaction. Health and Quality of Uffo. Otherwise 77(10.1038/eye.2010.60 7. Brunes, A., et al. (2019). Lonelines One 2. Dated (V000). Detention of the satisfaction. Health and Quality of Uffo. Otherwise 77(10.1038/eye.2010.60 7. Brunes, A., et al. (2019). Lonelines Official Publication of Difference 77(10.1038/eye.2010.60 7. Brunes, A., et al. (2010). Detention of 2010.00 7. Brunes, A., et al. (2011). Lonelines of 2010.00 7. Brunes, A., et al. (2012). Detention of 2010.00 7. Brunes, A., et al. (2012). Lonelines of 2010.00 7. Brunes, A., et al. (2012). Detention of 2010.00 7. Brunes, A., et al. (2013). Lonelines of 2010.00 7. Brunes, A., et al. (2014). Detention of 2010.00 7. Brunes, A., et al. (2014). Detention of 2010.00 7. Brunes, A., et al. (2015). Charles of 2010.00 7. Brunes, A., et al. (2014). Detention of 2010.00 7. Brunes, A., et al. (2015). Detention of 2010.00 7. Brunes, A., et al. (2014). Deten Life Outcomes, 17(1), 24. https://doi.org/10.1186/s12955-019-1096-y 8. Nyman, S. R., et al. (2010). Psychosocial impact of visual impairment in working-age adults. The British Journal of Ophthalmology, 94(11), 1427–1431. https://doi.org/10.1136/bjo.2009.164814 9. Demmin, D. L., & Silverstein, S. M. (2020). Visual Impairment and Mental Health: Unmet Needs and Treatment Options. *Clinical Ophthalmology*, 14, 4229-4251. https://doi.org/10.2147/OPTH.S258783 eS:ght

eSight is a Class 1 Medical Device. © 2021 eSight Inc.